

LINESCAPES WALL

Extension of the famous Linescapes collection, a family of versatile floor, wall and ceiling lamps with high luminous efficiency based on a linear design. Structure with integrated electronics in extruded aluminium and diffuser in polycarbonate for an easy installation. Dimmable and available in white and black finishes.



L102 DIMMABLE PUSH | 2700K

LAMPING

Source	Linear LED
Total power	19W
Emission	diffused
Switching	dimnable push
Tension	100/240V
Color temperature	2700K
Luminous flux	1125lm
Typ CRI	85
Dimensions	102x6x2
Notes	side emission, driver on board

Codes

LIN LW2 35

LIN LN2 35

Structure


white

black

Certificazioni



DRIVER ON BOARD



L102 DIMMABLE PUSH | 3000K

LAMPING

Total power	19W
Emission	diffused
Switching	dimnable push
Tension	100-240V
Color temperature	3000K
Luminous flux	1125lm
Typ CRI	85
Dimensions	102x6x2

Codes

LIN LWD 35
LIN LND 35


Structure

white
black

Certificazioni



DRIVER ON BOARD



L182 DIMMABLE PUSH | 2700K

LAMPING

Source	Linear LED
Total power	33W
Emission	diffused
Switching	dimnable push
Tension	100-240V
Color temperature	2700K
Luminous flux	1765lm
Typ CRI	85
Dimensions	182x6x2
Notes	side emission, driver on board

Codes

LIN LW2 36

LIN LN2 36

Structure

white

black

Certificazioni



DRIVER ON BOARD



L182 DIMMABLE PUSH | 3000K

LAMPING

Total power	33W
Emission	diffused
Switching	dimnable push
Tension	100-240V
Color temperature	3000K
Luminous flux	1765lm
Typ CRI	85
Dimensions	182x6x2

Codes

LIN LWD 36
LIN LND 36

Structure

white
black

Certificazioni



DRIVER ON BOARD

