

TUBES 1 WALL

Charles Kalpakian

Family of pendant, wall and ceiling lamps, with elements in extruded aluminium. Opal polycarbonate diffusers, for a warm and ambient lighting. Adjustable elements in the wall versions. Available also with dimmer push on the body of the lamp. Ceiling version with a 340° rotation for the ceiling fixed element while the other element is adjustable by 90°.



PUSH

LAMPING

Source	LED board
Total power	5,5W
Emission	orientable, spot
Switching	dimmable PUSH
Tension	230V
Color temperature	2700K
Luminous flux	135lm (luminous output)
Typ cri	80
Materials	aluminium
Notes	orientable, also available in 120V
Net lamp weight	0,25 Kg

Codes

TTB LNN 34
TTB LWC 34
TTB LWW 34


Structure

black/black
white/copper
white/white

PACKAGE

Package 01 14x31x11 cm / Gross weight: 0,35 Kg

Certificazioni



TRIAC

LAMPING

Source	LED board
Total power	5,5W
Emission	orientable, spot
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	135lm (luminous output)
Typ cri	80
Materials	aluminium
Notes	orientable, also available in 120V
Net lamp weight	0,25 Kg

Codes

TTB LWC 31
TTB LWW 31
TTB LNN 31

Structure

white/copper
white/white
black/black

PACKAGE

Package 01 14x31x11 cm / Gross weight: 0,35 Kg

Certificazioni

